

Key

Appendix A: Indicators for HWBB - 2014/15 Q3

	Data unavailable due to reporting frequency or the performance indicator being new for the period
..	Data unavailable as not yet due to be released
	Data missing and requires updating
	Provisional end of year figure
DoT	The direction of travel, which has been colour coded to show whether performance has improved or worsened
NC	No colour applicable
PHOF	Public Health Outcomes Framework
ASCOF	Adult Social Care Outcomes Framework
HWBB OF	Health and Wellbeing Board Outcomes Framework
BCF	Better Care Fund

Title	2012/13	2013/14				2013/14	2014/15			DoT	RAG Rating	BENCHMARKING		HWBB No.	Reported to
		Q1	Q2	Q3	Q4		Q1	Q2	Q3			England Average	London Average		
1 - Children															
Percentage of Uptake of Diphtheria, Tetanus and Pertussis (DTaP) Immunisation at 5 years old	85.5%	83.8%	85.4%	82.4%	82.4%	..	82.8%	83.3%	..	→	R	88.6%	77.3%	1	PHOF
Year end figures not yet published. Data is published each quarter but when the full year figures are published they adjust for errors in the quarterly data and comprise all the children immunised by the relevant birthday in the whole year. 2014/15 Q3 data is not yet published															
Percentage of Uptake of Measles, Mumps and Rubella (MMR2) Immunisation at 5 years old	85.0%	83.8%	85.5%	80.9%	81.7%	..	82.2%	82.2%	..	→	R	88.5%	79.9%	2	PHOF
Year end figures not yet published. 2014/15 Q3 data not yet published.															
Prevalence of children in reception year that are obese or overweight	25.9%					26.6%				↗	R	22.5%	23.2%	3	PHOF
Prevalence of children in year 6 that are obese or overweight	40.1%					42.4%				↗	R	33.5%	37.6%	4	PHOF
Number of children and young people accessing Tier 3/4 CAMHS services	879	592	627	589	596	1,053	528	546	635	↘	NC			5	HWBB OF
Year end figure is the number of unique people accessing CAMHS over the course of the year.															
Annual health check Looked After Children	71.2%	62.9%	69.2%	86.0%	93.4%	93.4%	84.2%	78.4%	74.8%*	↘	A	84.3%	88.1%	6	HWBB OF
* Up to end of November															
2 - Adolescence															
Under 18 conception rate (per 1000) and percentage change against 1998 baseline.	33.1	47.1	38.2	↘	R	24.8	22.4	7	PHOF
Number of positive Chlamydia screening results	585	126	147	127	111	511	141	141	90*	↗	R			8	HWBB OF
* Up to end of November															
3 - Adults															
Number of four week smoking quitters	1480	431	325	233	185	1,174	141	156	111*	→	R			9	HWBB OF
* Please note that the most recent quarter is an incomplete figure and will be revised in the next HWBB report.															

* Data from 2011/12

Key

Appendix A: Indicators for HWBB - 2014/15 Q3

	Data unavailable due to reporting frequency or the performance indicator being new for the period
..	Data unavailable as not yet due to be released
	Data missing and requires updating
	Provisional end of year figure
DoT	The direction of travel, which has been colour coded to show whether performance has improved or worsened
NC	No colour applicable
PHOF	Public Health Outcomes Framework
ASCOF	Adult Social Care Outcomes Framework
HWBB OF	Health and Wellbeing Board Outcomes Framework
BCF	Better Care Fund

Title	2012/13	2013/14				2013/14	2014/15			DoT	RAG Rating	BENCHMARKING		HWBB No.	Reported to
		Q1	Q2	Q3	Q4		Q1	Q2	Q3			England Average	London Average		
Cervical Screening - Coverage of women aged 25 -64 years	69.4%					72.4%				↗	A	74.2%	70.3%	10	PHOF
Percentage of eligible women screened adequately within the previous 3.5 (25-49 year olds) or 5.5 (50-64 year olds) years on 31st March															
Percentage of eligible population that received a health check in last five years	10.0%	1.9%	3.5%	3.4%	2.6%	11.4%	2.4%	3.8%	4.1%	↗	A	2.2%	2.3%	11	PHOF
Please note that annual figures are a cumulative figure accounting for all four previous quarters.															
4 - Older Adults															
Breast Screening - Coverage of women aged 53-70 years	68.7%					71.2%				→	A	75.9%	68.9%	12	PHOF
Percentage of women whose last test was less than three years ago.															
Permanent admissions of older people (aged 65 and over) to residential and nursing care homes	879.1					696.8	240.8	425.3	614.9	↘	NC	668.4	463.9	13	BCF/ASCOF
Year end figure will represent the sum of the four quarter figures. Rate per 100,000 population															
Proportion of older people (65 and over) who were still at home 91 days after discharge from hospital into reablement/ rehabilitation services	91.5%					88.3%				↘	A	81.9%	87.8%	14	BCF/ASCOF
Injuries due to falls for people aged 65 and over	2,336.0					..				↘	A	2,011.0	2,242.0	15	BCF/PHOF
Directly age-sex standardised rate per 100,000 population over 65 years. Unable to calculate more recent figures due to lack of access to HES data.															
5 - Across the Lifecourse															
The percentage of people receiving care and support in the home via a direct payment	42.1%	61.3%	66.6%	71.1%	73.4%	73.4%	74.7%	75.2%	76.2%	↗	G	62.1%	67.4%	16	ASCOF
Delayed transfers of care from hospital	3.0					5.5	4.2	4.7	5.4	↘	A	9.7	6.9	17	ASCOF
Rate per 100,000 population (average per month)															
Delayed transfers due to social care	2.4	0.8	1.1	1.2	1.1	1.1	2.2	1.7	2.9	↗	G	3.1	2.3	18	ASCOF
Rate per 100,000 population (average per month)															

* Data from 2011/12

Key

Appendix A: Indicators for HWBB - 2014/15 Q3

	Data unavailable due to reporting frequency or the performance indicator being new for the period
..	Data unavailable as not yet due to be released
	Data missing and requires updating
	Provisional end of year figure
DoT	The direction of travel, which has been colour coded to show whether performance has improved or worsened
NC	No colour applicable
PHOF	Public Health Outcomes Framework
ASCOF	Adult Social Care Outcomes Framework
HWBB OF	Health and Wellbeing Board Outcomes Framework
BCF	Better Care Fund

Title	2012/13	2013/14				2013/14	2014/15			DoT	RAG Rating	BENCHMARKING		HWBB No.	Reported to
		Q1	Q2	Q3	Q4		Q1	Q2	Q3			England Average	London Average		
Emergency readmissions within 30 days of discharge from hospital	13.3%*	→	A	11.8%	11.8%	19	PHOF
Percentage of emergency admissions occurring within 30 days of the last, previous discharge after admission, Indirectly standardised rate - 2011/12 is most recent data and was published in March 2014.															
A&E attendances < 4 hours from arrival to admission, transfer or discharge (type all)	84.1%	88.9%	90.5%	88.4%	86.6%	88.8%	85.6%	86.4%	80.5%	↘	A	92.6%		20	HWBB OF
BHRUT Figure															
Emergency admissions for ambulatory care sensitive conditions	1193.9	1202.1	1163.2	1108.1	1058.7	1035.4*	↘	R	780.9	745.4	21	HWBB OF
DSR per 100,000 population, rolling 12 month average. i.e. 2013/14 Q4 is April 2013 - -March 2014. 2014/15 Q1 is not yet published. *figure is provisional.															

* Data from 2011/12