

Key

Appendix A: Indicators for HWBB - 2015/16 Q4

	Data unavailable due to reporting frequency or the performance indicator being new for the period
..	Data unavailable as not yet due to be released
	Data missing and requires updating
	Provisional figure
DoT	The direction of travel, which has been colour coded to show whether performance has improved or worsened
NC	No colour applicable
PHOF	Public Health Outcomes Framework
ASCOF	Adult Social Care Outcomes Framework
HWBB OF	Health and Wellbeing Board Outcomes Framework
BCF	Better Care Fund

Title	2013/14	2014/15				2014/15	2015/16				2015/16	DoT	RAG Rating	BENCHMARKING		HWBB No.	Reported to
		Q1	Q2	Q3	Q4		Q1	Q2	Q3	Q4				England Average	London Average		
1 - Children																	
Percentage of Uptake of Diphtheria, Tetanus and Pertussis (DTaP) Immunisation at 5 years old	83.4%	82.8%	83.3%	80.9%	86.2%	85.1%	84.4%	83.8%	84.0%			↗	A	87.4%	76.5%	1	PHOF
Year end figures not yet published. Data is published each quarter but when the full year figures are published they adjust for errors in the quarterly data and comprise all the children immunised by the relevant birthday in the whole year. Q4 2015/16 data has not yet published																	
Percentage of Uptake of Measles, Mumps and Rubella (MMR2) Immunisation at 5 years old	82.3%	82.2%	82.2%	78.8%	83.4%	82.7%	81.0%	81.2%	93.8%			↗	A	87.6%	77.6%	2	PHOF
Year end figures not yet published. 2014/15 Q4 data not yet published.																	
Prevalence of children in reception year that are obese or overweight	26.6%					27.5%						↗	R	21.9%	22.2%	3	PHOF
Prevalence of children in year 6 that are obese or overweight	42.4%					40.6%						↘	R	33.2%	37.2%	4	PHOF
Number of children and young people accessing Tier 3/4 CAMHS services	1,053	528	546	635	563	1,217	585	490	526	539	1,114	↘	NC			5	HWBB OF
Year end figure is the number of unique people accessing CAMHS over the course of the year.																	
Annual health check Looked After Children	93.4%	86.5%	73.0%	76.4%	91.8%	91.8%	82.0%	72.0%	73.8%	94.2%	94.2%	↗	G	87.7%	89.9%	6	HWBB OF
2 - Adolescence																	
Under 18 conception rate (per 1000) and percentage change against 1998 baseline.	42.4	31.0	20.5	37.1	28.6	29.3			↘	R	21.8	18.8	7	PHOF
Number of positive Chlamydia screening results	511	141	141	127	132	541	118	130	125	120	493	↘	R			8	HWBB OF

Key

Appendix A: Indicators for HWBB - 2015/16 Q4

	Data unavailable due to reporting frequency or the performance indicator being new for the period
..	Data unavailable as not yet due to be released
	Data missing and requires updating
	Provisional figure
DoT	The direction of travel, which has been colour coded to show whether performance has improved or worsened
NC	No colour applicable
PHOF	Public Health Outcomes Framework
ASCOF	Adult Social Care Outcomes Framework
HWBB OF	Health and Wellbeing Board Outcomes Framework
BCF	Better Care Fund

Title	2013/14	2014/15				2014/15	2015/16				2015/16	DoT	RAG Rating	BENCHMARKING		HWBB No.	Reported to
		Q1	Q2	Q3	Q4		Q1	Q2	Q3	Q4				England Average	London Average		
3 - Adults																	
Number of four week smoking quitters	1,174	142	162	139	200	643	121	89	131	211	551	↗	R			9	HWBB OF
Please note that the most recent quarter is an incomplete figure and will be revised in the next HWBB report.																	
Cervical Screening - Coverage of women aged 25 -64 years	72.4%					70.1%						↘	A	73.5%	68.4%	10	PHOF
Percentage of eligible women screened adequately within the previous 3.5 (25-49 year olds) or 5.5 (50-64 year olds) years on 31st March.																	
Percentage of eligible population that received a health check in last five years	11.4%	2.6%	4.2%	4.4%	4.8%	16.3%	2.5%	2.9%	3.2%	3.1%	11.7%	↘	A	9.6%	11.6%	11	PHOF
Please note that annual figures, and London and England figures, are a cumulative figure accounting for all four previous quarters. Please note base eligible population changed from 2014/15 and 2015/16.																	
4 - Older Adults																	
Breast Screening - Coverage of women aged 53-70 years	71.2%					64.3%						↘	A	75.4%	68.3%	12	HSCIC
Percentage of women whose last test was less than three years ago.																	
Permanent admissions of older people (aged 65 and over) to residential and nursing care homes	696.8	240.8	425.3	614.9	936.58	936.58	188.24	401.91	625.35	910	910	↗	A	668.4	463.9	13	BCF/ASCOF
Proportion of older people (65 and over) who were still at home 91 days after discharge from hospital into reablement/ rehabilitation services	88.3%					67.2%						↘	R	82.1%	85.3%	14	BCF/ASCOF
Injuries due to falls for people aged 65 and over	2027.0					1656.0						↘	G	2125.0	2253.0	15	BCF/PHOF
Directly age-sex standardised rate per 100,000 population over 65 years.																	

Key

Appendix A: Indicators for HWBB - 2015/16 Q4

	Data unavailable due to reporting frequency or the performance indicator being new for the period
..	Data unavailable as not yet due to be released
	Data missing and requires updating
	Provisional figure
DoT	The direction of travel, which has been colour coded to show whether performance has improved or worsened
NC	No colour applicable
PHOF	Public Health Outcomes Framework
ASCOF	Adult Social Care Outcomes Framework
HWBB OF	Health and Wellbeing Board Outcomes Framework
BCF	Better Care Fund

Title	2013/14	2014/15				2014/15	2015/16				2015/16	DoT	RAG Rating	BENCHMARKING		HWBB No.	Reported to
		Q1	Q2	Q3	Q4		Q1	Q2	Q3	Q4				England Average	London Average		
5 - Across the Lifecourse																	
The percentage of people receiving care and support in the home via a direct payment	73.4%	74.7%	75.2%	76.2%	76.7%	75.7%	76.6%	75.1%	74.3%	73.2%	74.8%	↘	A	62.1%	67.4%	16	ASCOF
Delayed transfers of care from hospital	5.5	4.2	4.7	5.4	5.4	4.9	7.2	7.4	7.7	7.7	7.5	↗	A	9.7	6.9	17	ASCOF
Delayed transfers due to social care	1.1	2.22	1.73	2.91	2.2	2.25	2.63	4.55	4.1	3.8	3.77	↘	A	3.1	2.3	18	ASCOF
Emergency readmissions within 30 days of discharge from hospital	13.3%			→	A	11.8%	11.8%	19	PHOF
Percentage of emergency admissions occurring within 30 days of the last, previous discharge after admission, Indirectly standardised rate - 2011/12 is most recent data and was published in March 2014.																	
A&E attendances < 4 hours from arrival to admission, transfer or discharge (type all)	88.8%	85.6%	86.4%	80.5%	88.8%	..	93.4%	92.3%	86.5%	79.8%	88.0%	↘	A	94.2%		20	HWBB OF
BHRUT Figure. March 2016 figure is unvalidated.																	
Unplanned hospitalisation for chronic ambulatory care sensitive conditions	1,059.4	220.6	239.0	304.0	252.1	1,015.8						↘	R	807.4	723.3	21	HSCIC