

Appendix C: Years of life lost (YLL) by sex and age group

Key

	Significantly lower than the England average
	Similar to the England average
	Significantly higher than the England average

Sex

Table C.1: Leading causes of YLLs, males, age-standardised rate per 100,000, 2017

Males					
Cause	B&D	Haverin g	Redbrid ge	London	England
<i>All causes</i>	12,119	10,003	8,618	9,191	10,150
IHD	1,776	1,482	1,363	1,267	1,380
Lung cancer	1,027	715	556	621	654
COPD	703	480	338	420	438
LRIs	530	377	372	364	366
Neonatal disorders	471	288	290	386	452
Stroke	463	403	362	370	432
Self-harm	422	462	363	354	485
Dementia	367	314	287	287	309
Bowel cancer	352	330	249	272	323
Cirrhosis	346	273	267	303	314
Prostate cancer	312	260	221	241	270
Congenital birth defects	259	189	193	216	267
Drug use disorders	250	230	178	244	280
Road injuries	229	258	196	197	254
Pancreatic cancer	214	187	165	166	174

Table C.2: Leading causes of YLLs, females, age-standardised rate per 100,000, 2017

Females					
Cause	B&D	Haverin g	Redbrid ge	London	England
<i>All causes</i>	7,334	7,168	6,122	6,151	7,002
Lung cancer	602	516	371	431	484
IHD	562	557	506	452	515
Breast cancer	495	595	479	432	496
COPD	439	367	246	285	333
LRIs	344	336	295	261	274
Dementia	338	404	342	327	353
Stroke	320	350	287	276	362
Neonatal disorders	315	236	242	311	352
Congenital birth defects	227	196	172	198	237
Bowel cancer	215	241	185	187	222
Cirrhosis	179	166	135	150	175
Pancreatic cancer	165	153	145	136	147

Ovarian cancer	150	195	164	145	171
Other malignant neoplasms	129	107	104	94	106
Other cardiovascular and circulatory diseases	113	101	90	90	104

Age

Table C.3: Leading causes of YLLs, under 5s, rate per 100,000, 2017

Cause	Under 5s				
	B&D	Haveri ng	Redbri dge	Londo n	Engla nd
<i>All causes</i>	7,758	5,656	5,809	7,410	7,915
Neonatal disorders	3,640	2,541	2,537	3,483	3,798
Congenital birth defects	1,825	1,375	1,367	1,684	1,934
Sudden infant death syndrome	418	262	298	389	413
LRIs	348	241	276	304	281
Endocrine, metabolic, blood, and immune disorders	176	153	162	186	191
Meningitis	115	94	109	120	111
Foreign body	99	84	87	95	98
Other malignant neoplasms	90	68	66	71	71
Other neurological disorders	75	69	81	89	95
Leukaemia	67	60	66	67	63
Brain and nervous system cancer	65	74	64	67	67
Cardiomyopathy and myocarditis	64	43	55	67	61
Other unspecified infectious diseases	54	41	47	73	63
Diarrheal diseases	50	26	38	46	42
Road injuries	46	43	40	48	53

Table C.4: Leading causes of YLLs, 5–14 year olds, rate per 100,000, 2017

Cause	5–14 year olds				
	B&D	Haveri ng	Redbri dge	Londo n	Engla nd
<i>All causes</i>	565	626	573	614	596
Brain and nervous system cancer	57	84	64	65	63
Congenital birth defects	54	58	52	56	56
Other malignant neoplasms	51	52	45	44	43
Leukaemia	44	50	49	49	46
Road injuries	42	55	44	49	58

Endocrine, metabolic, blood, and immune disorders	35	44	38	41	39
LRIs	28	24	26	25	21
Epilepsy	19	19	15	19	19
Asthma	14	12	12	14	14
Interpersonal violence	14	9	17	18	13
Other neurological disorders	13	15	17	16	18
Foreign body	13	18	14	16	17
Cardiomyopathy and myocarditis	10	10	11	13	11
Meningitis	10	12	13	13	11
Fire, heat, and hot substances	9	7	9	10	8

Table C.5: Leading causes of YLLs, 15–49 years, rate per 100,000, 2017

15–49 year olds					
Cause	B&D	Haveri ng	Redbri dge	Londo n	Engla nd
<i>All causes</i>	3,614	4,176	3,015	3,098	4,123
Self-harm	397	474	382	371	527
Drug use disorders	308	249	214	306	354
IHD	252	353	224	191	282
Road injuries	211	246	189	177	242
Cirrhosis	183	189	150	162	206
Breast cancer	168	237	145	134	182
Lung cancer	118	134	76	85	109
LRIs	98	109	79	74	92
Stroke	97	134	82	78	129
Alcohol use disorders	96	106	91	118	182
Brain and nervous system cancer	86	125	81	74	103
Other malignant neoplasms	82	81	56	52	74
Epilepsy	76	81	53	54	75
Bowel cancer	74	103	60	62	91
Other cardiovascular and circulatory diseases	60	68	44	45	64

Table C.6: Leading causes of YLLs, 50–69 year olds, rate per 100,000, 2017

50–69 year olds					
Cause	B&D	Haveri ng	Redbri dge	Londo n	Englan d
<i>All causes</i>	20,489	18,707	15,530	16,142	17,896
IHD	2,998	2,745	2,422	2,233	2,492
Lung cancer	2,620	2,154	1,556	1,778	2,022

COPD	1,214	986	643	794	928
Cirrhosis	956	729	697	807	828
Breast cancer	824	936	811	725	797
Bowel cancer	824	857	640	683	824
Stroke	715	718	581	595	730
Pancreatic cancer	620	585	509	503	552
LRIs	614	527	470	450	467
Oesophageal cancer	462	479	325	368	479
Stomach cancer	386	357	254	266	294
Brain and nervous system cancer	343	390	304	296	332
Other cardiovascular and circulatory diseases	337	277	235	254	275
Liver cancer	320	248	242	277	244
Self-harm	313	282	278	299	325

Table C.7: Leading causes of YLLs, 70+ year olds, rate per 100,000, 2017

Cause	70+ year olds				
	B&D	Haverin g	Redbrid ge	London	England
<i>All causes</i>	64,638	56,222	50,425	49,498	53,550
IHD	9,459	7,842	7,926	7,205	7,801
Dementia	6,293	6,631	5,711	5,319	5,679
COPD	5,829	4,501	3,178	3,672	4,038
Lung cancer	5,230	3,863	3,066	3,419	3,701
LRIs	4,608	3,887	3,649	3,175	3,217
Stroke	4,156	3,893	3,599	3,488	4,177
Bowel cancer	1,938	1,929	1,557	1,604	1,875
Prostate cancer	1,529	1,317	1,168	1,261	1,438
Aortic aneurysm	1,275	986	780	795	848
Pancreatic cancer	1,215	1,061	1,044	983	1,047
Urinary diseases and male infertility	1,199	936	797	703	648
Breast cancer	1,128	1,303	1,089	970	1,055
Stomach cancer	1,059	889	718	726	783
Parkinson's disease	960	952	847	813	852
Atrial fibrillation and flutter	920	892	863	824	850