

## Public Health Profile Indicators

Indicator Name
Male life expectancy
Female life expectancy
Black
Asian
Mixed
Other non-white ethnic groups
Flu vaccine uptake for <65 at risk persons (%)
Flu vaccine uptake in 65+ persons (%)
1 year olds who had 3 DTP & Polio vaccinations (%)
Measles, Mumps and Rubella vaccine by 2nd birthday (%)
Diphtheria/Tetanus/Pertussis/Polio booster by 5th birthday (%)
Measles, Mumps and Rubella booster by 5th birthday (%)
Females 24-54 attending cervical screening within target period (3.5-5.5 years coverage) %
Persons, 60-69, screened for bowel cancer in the last 30 months (2.5 years coverage) %
Two week wait referrals rate Indirectly Age Standardised Referral Ratio
2 week wait cancer conversion rate %
Breastfeeding prevalence at 6-8 weeks after birth %
% of eligible people receiving an NHS Health Check from 12/08 to Q2 2012/13
% of women who have seen a midwife or maternity healthcare professional by 12 weeks of pregnancy
% Babies Low Birth Weight (latest 2 year average) 2009/10+2010/11
Births to Teenage Women per 1000 Women Aged 16-19 (2010/11)
Number of births to women aged 15-44
16+ Obesity Prevalence recorded(2011/12)
Current smokers by 27/09/2012

Indicator Name
Smoking cessation referral/100 patients (SMOKE 8)
% patients with LTC who smoke offered smoking cessation in the last 15 months
Ratio of recorded vs expected CHD prevalence
Ratio of recorded vs expected Stroke prevalence
Ratio of recorded vs expected Heart Failure prevalence
Ratio of recorded vs expected Hypertension prevalence
Ratio of recorded vs expected Diabetes prevalence
Ratio of recorded vs expected COPD prevalence
A&E attendances per 1,000 population
A&E admissions per 1,000 population
≤5 A&E admissions per 1,000 population
≥75 A&E admissions per 1,000 population
Total Outpatient Attendances per 1000 population
Percentage of Outpatients who did not attend
Percentage of Outpatients discharged at first appointment
Outpatients first attendances per 1000 population
Total Admissions per 1000 population standardised rate
Emergency admissions per 1000 population standardised rate
Average emergency overnight occupied beds per 1000 population standardised rate
Percentage emergency admissions discharged home with no overnight stay
emergency bed days for long term conditions per 1000 population standardised rate
Total CHD Admissions per 100 Patients on Disease Register
Emergency CHD Admissions per 100 Patients on Disease Register
Total COPD Admissions per 100 Patients on Disease Register
Emergency COPD Admissions per 100 Patients on Disease Register
Total Diabetes Admissions per 100 Patients on Disease Register

Indicator Name
Emergency Diabetes Admissions per 100 Patients on Disease Register
Total Cancer Admissions per 100 Patients on Disease Register
Emergency Cancer Admissions per 100 Patients on Disease Register
Mental Health Recorded Prevalence
total outpatient mental health attendances per 1000 population
percentage of mental health outpatient who did not attend
drugs acting on benzodiazepine receptors ADQs per STAR-PU Ratio (2010/11)
% Satisfied with Telephone Access (2011/12)
% Able to Book Appointment in Advance
% Able to get an Appointment with a Specific GP
% Satisfied with Opening Hours (2011/12)
3rd Line Diabetic Drugs as a % of all Diabetic Drug prescriptions
Mortality from all causes, all ages, DASR/100,000
Mortality from respiratory disorders, all ages, DASR/100,000
Mortality from all cancers, all ages, DASR/100,000
Mortality from circulatory disorders, all ages, DASR/100,000